




CURRENT TRANSFORMERS RANGE

MINI SERIES

TYPE	TAM 1D	TAM 3D	TAM 4D	TAM 5D	TAM 6
APPLICATION	Passing primary				
CENTRAL SECTION		20 x 12 25 x 15 30 x 10	25 x 25 30 x 20 40 x 10	50 x 12	50x23 63x20
		21	23	30	2 x 22
			25 x 25 30 x 20 40 x 10		
Primary current (A)	Burden (VA)	Burden (VA)	Burden (VA)	Burden (VA)	Burden (VA)
	Class	Class	Class	Class	Class
40	0,5 1 3	0,5 1	0,5 1	0,5 1	0,5
50	1,3				
60	1,5				
75	1,5				
80	2				
100	3	1,5	3		
120	3	1,5	3		
125	3	1,5	3		
150	4	3	3		
200	3	3	4		
250	3	2	6	3	
300		2	6	4	5
400		3	10	4	6
500			10	6	6
600			10	6	6
800			10	10	10
1000			10	10	10
1200					15
1250					15
1500					20
2000					20
2500					
3000					
4000					
5000					
6000					
DIMENSIONS	height	65	81,5	81,5	106
	width	52	70	70	101
	depth	27	27	44	44
interaxes min.					
SEE PAGE	260	260	261	261	262

CURRENT TRANSFORMERS RANGE

SMALL SERIES

SMALL SERIES SPECIAL CLASSES

TYPE	TCS 08	TCS 012	TCS M15	TCS 13	TCS 16	TCS 18	TCS 25	TCS 26	TCS 32	TCS 33	TCS 64	TCS 647	TCS 126	TCS 200	TCS 65V	TCS 126V	TCS 166V
APPLICATION	Central bolt MB	Central bolt IM2	2 DIN modules	Passing primary													
CENTRAL SECTION	HORIZ. BAR			15 x 5	min 25x5 max 25x6,5		min 29x5 max 2x63x5	min 30x5 max 2x63x5	min 30x30 max 3x50x5	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 30x30 max 3x50x5	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 30x30 max 3x50x5	min 120x10 max 3x120x10	min 120x10 max 3x120x10
	CABLE		15	11	25	32	50x5 2x50x5 2x50x10 3x50x5	40 x 5 2 x 40 x 5 2 x 40 x 10 3 x 40 x 5	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10
CENTRAL SECTION	VERT. BAR		15	13	25	32	15 x 5 20 x 5	32 x 5	40 x 5 2 x 40 x 5 2 x 40 x 10 3 x 40 x 5	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10	min 120x10 max 3x120x10
	Primary current (A)	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class	Burden (VA) Class
40	3	0,5	1	3	0,5	1	3	0,5	1	0,5	1	0,5	1	0,5	0,5	0,5	0,5
50	4		2				1,5										
60	5		3				3										
75	5		3				3										
80	5		3				5										
100	5		3				2,5										
120	5		5				3										
125	5		5				3										
150	5		5				3,5										
200	5		5				5										
250	10		5				5										
300	10		6				6										
400	10		6				10										
500	10		10				10										
600	10		10				10										
800																	
1000																	
1200																	
1250																	
1500																	
2000																	
2500																	
3000																	
4000																	
5000																	
6000																	
height	90,5	90,5	85	58	58	90,5	90,5	72	90,5	90,5	116	116	207	290	119	200	237
width	56	56	35,5	34,5	34,5	56	56	44	56	56	87	87	172	272	70	130	130
depth	53,3	53,3	58	53,3	53,3	53,3	53,3	53,3	53,3	53,3	53,3	53,3	49	49	53,3	49	50
interaxes min.			35	27	27	45	45	35	45	45 - 35	70 - 50	70 - 50	70 - 50	70 - 50	45	75	75
SEE PAGE	263	263	264	264	265	265	266	266	267	267	268	268	269	269	270	270	271

